

STATE OF NEW YORK DEPARTMENT OF TRANSPORTATION




SOIL MECHANICS
BUREAU









DRILL TOOL CATALOG (Metric Version) November 21, 1994



INSTRUCTIONS FOR USE OF DRILLING EQUIPMENT CATALOG

The drill tool requests (SM 451 - 5/81) are to be used by the driller to communicate a <u>need</u> for equipment. The driller must familiarize himself with the proper drill tool nomenclature in order to use the catalog properly. In order to find a particular piece of equipment, it should be found under the actual name, for example, "ROD LIFTER" will be found under "LIFTER, ROD"; "WATER SWIVEL" will be found under "SWIVEL, WATER."

- 1. The driller enters his name, region and date.
- 2. The driller picks the items needed from the catalog and enters the item number, the description, and the quantity needed.
- 3. If the driller cannot find the item in the catalog, he should enter the complete description and quantity.
- 4. If special or reoccurring problems are encountered with the tools furnished, it should be noted under "Comments on Tools Furnished".
- 5. The request should be submitted once every two (2) weeks along with the time sheets, by the driller to the Soils Engineer for his approval and signature.
- 6. The gold copy of the request should be held by the Regional Soils Office.
- 7. The remaining copies will be forwarded to the Soil Mechanics Bureau where the items will be furnished from stock or ordered from a vendor. This will be indicated on the request, and the white copy will be returned to the driller, along with any reply on the driller's comments under "Office Use Reply."
- 8. The comment section may be used to request assistance on any drilling problem as well as tool problems.
- 9. This catalog may be updated to include items not listed approximately every twelve (12) months.
- 10. All catalog items are to be ordered by the driller unless otherwise indicated.
 - a). A single asterisk (*) indicates items to be ordered by the Soils Office.
 - b). A double asterisk (**) indicates the item is to be ordered by the Soils Office and returned to the Main Office upon completion of the job.
 - c). A triple asterisk (***) indicates items to be ordered by the individual for personal use such as boots, hats, etc. (include size and color if applicable).

DE VATAS TRIBUTIOS DESARRIO DE POR SOS CIPOSES DE PRESE

to the state of the state of the property of the state of

- open per playor terms of exclusive religion of a
- A PARTY OF THE PAR
- and pure out when there as principles in mall out but to the which will like the
- If the second and the second s
- conduct the purishment of the property of the property of the party of
 - the first sold copy of the records about the bold by the Regional Sold with the
- and state of the second form of the second s
- molding political year or assurance to require the control of year solition. Farefully will be used to resident the real farefully and the sales of the sales of
- In This citated may be appealed to tractal piece no their apprecimently every
 - Directly or was not a second will be derigd another or or or or or other polaries life of
 - or gody alter but not present an extra extraction of the state of the
- and out to relative age of the property of the second section of the second section of the second section in the
- Ter ment to see on the party of the second second of the second of the second s

TOKILLY IN TOKILLY IN THE TOKILLY IN

Metric Conversion Charts

Meters	To Feet
0.2	0.66
0.4	1.31
0.6	1.97
0.8	2.62
1	3.28
2	6.56
3	9.84
4	13.12
5	16.40
6	19.68
7	22.97
8	26.25
9	29.53
10	32.81
11	36.09
12	39.37
13	42.65
14	45.93
15	49.21
16	52.49
17	55.77
18	59.05
19	62.34
20	65.62

Inches	To mm
1	25.4
2	50.8
3	76.2
4	101.6
5	127.0
6	152.4
7	177.8
8	203.2
9	228.6
10	254.0
11	279.4
12	304.8
13	330.2
14	355.6
15	381.0
16	406.4
17	431.8
18	457.2

mm	To	Inches
1		0.04
10		0.39
20		0.8
150		6
300		12
450		18

Feet 1	To Meters 0.30
2	0.61
3	0.91
4	1.22
5	1.52
6	1.83
7	2.13
8	2.44
9	2.74
10	3.05
11	3.35
12	3.66
13	3.96
14	4.27
15	4.57
16	4.88
17	5.18
18	5.49
19	5.79
20	6.10
21 22	6.40 6.71
23	7.01
24	7.32
25	7.62
26	7.92
27	8.23
28	8.53
29	8.84
30	9.14
31	9.45
32	9.75
33	10.06 10.36
34 35	10.36
36	10.07
37	11.28
38	11.58
39	11.89
40	12.19
41	12.50
42	12.80
43	13.11
44	13.41
45	13.72
46 47	14.02
47	14.33 14.63
49	14.94
73	17.07

50

15.24

Common Conversion Factors

UNIT	MEASURES	MULTIPLY BY:	TO GET:
m	length	3.28	feet
mm	length	0.04	inches
kPa	pressure	0.145	p.s.i.
kg	weight	2.21	pounds
L	volume	0.264	gallons

Common Equivilancies

Metric	English
150 mm	6 in
300 mm	12 in
450 mm	18 in
600 mm	24 in
760 mm	30 in
1.5 m	5 ft
136.3 kg	300 lb
63.6 kg	140 lb


Contembs Conversion Factors

Common Equivilances


			DAILE 1001 CATALOG	
	NUMBE	COST OF	DESCRIPTION	
	10	\$ 75.00	ADAPTOR, HEAD(108 MM EXP. FOR THIN WALL BIT)	{4 1/4"}
	20	\$ 85.00	ADAPTOR, HEAD(158.8 MM EXP. FOR THIN WALL BIT)	{6-1/4"}
	30	\$.75	ADAPTORS, (25.4 MM PVC STAB TO 25.4 MM PIPE FEMALE)	{1"}
	35	\$.76	ADAPTORS, (25.4 MM PVC STAB TO 25.4 MM MALE PIPE)	{1"}
	37	\$ 2.00	ADAPTORS, (75 MM PVC-DWV-75 MM PIPE)	{3"}
	40	\$ 39.00	AUGER, IWAN 150 MM	{6"}
	50	\$ 35.00	AUGER, IWAN 100 MM	{4"}
	55	\$ 40.00	AUGER, IWAN 75MM	{3"}
	60	\$ 15.00	AUGER, IWAN 50MM	{2"}
	65	\$ 45.00	AUGER, DISK 100 MM	{4"}
	70	\$ 111.00	AUGER, JET 92 MM	{3-5/8"}
	80	\$ 480.00	AUGER, JET (92 MM WITH CALYX)	{3-5/8"}
	90	\$ 95.00	AUGER, JET (79 MM)	{3-1/8"}
	100	\$ 10.05	AXES, SINGLE BIT	1029
	105	\$ 111.20	BAR, 41 MM HEX, AUGER EXT.	{1-5/8"}
1	110	\$ 84.00	BAR, JAR (63.5 MM DOUBLE EXTRA HEAVY)	{2-1/2"}
	120	\$ 3.22	BAR, PINCH (600 MM)	{24"}
1	125	\$ 40.00	BAR, POLE(2 M)	{6'}
3	130	\$ 48.69	BAR, POLE (2.4 M)	{8'}
-	140	\$ 120.00	BARREL, CORE ("AWX"S.T. 0.61 M/AW ROD CONN)	{2'}
	150	\$ 135.00	BARREL, CORE ("AWX"S.T. 1.52 M/AW ROD CONN)	{5'}
1	155	\$ 615.00	BARREL, CORE(AW 34 D.T. 1.52 M/AW ROD CONN)	{5'}
-	160	\$ 236.00	BARREL, CORE ("AWX"D.T. 1.52 M/AW ROD CONN)	{5'}
1	170	\$ 280.00	BARREL, CORE ("AWM"D.T. 1.52 M/AW ROD CONN)	{5'}
-				

			DRILL TOOL CATALOG	
	NUMBE	COST OF	DESCRIPTION	
Ì	180	\$ 194.00	BARREL, CORE ("BWX"S.T. 0.61 M/BW ROD CONN)	{2'}
	190	\$ 185.00	BARREL, CORE ("BWX"S.T. 1.52 M/BW ROD CONN)	{5'}
1	200	\$ 331.50	BARREL, CORE ("BWX"D.T. 1.52 M/BW ROD CONN)	{5'}
	210	\$ 344.50	BARREL, CORE ("BWM"D.T. 1.52 M/BW ROD CONN)	{5'}
Ì	220	\$ 180.00	BARREL, CORE ("NWX"S.T. 0.61 M/NW ROD CONN)	{2'}
	230	\$ 195.00	BARREL, CORE ("NWX"S.T. 1.52 M/NW ROD CONN)	{5'}
)	235	\$ 205.00	BARREL, CORE ("NWX" D.T. 50 MM/"NW" ROD CONN)	{2"}
Ì	240	\$ 350.00	BARREL, CORE ("NWX"D.T. 1.52 M/"NW" ROD CONN)	{5'}
	241	\$ 550.00	BARREL, CORE ("NWX"D.T. 3.05 M/"NW" ROD CONN)	{10'}
	245	\$ 450.00	BARREL, CORE(NX-SC D.T.1.52 M/"NW" ROD CONN)	{5'}
	247	\$ 250.00	BARREL, CORE ("NWM"D.T. 0.61 M/"NW" ROD CONN)	{2'}
	250	\$ 475.00	BARREL, CORE ("NWM"D.T. 1.52 M/"NW" ROD CONN)	{5'}
	255	\$ 975.00	BARREL, CORE (NXD4 1.52 M CHRISTENSEN /"NW" ROD CO	NN {5'}
	257	\$ 928.55	BARREL, CORE("NQ" 50 MM WIRELINE LONGYEAR D.T.5)	{2"}
	258	\$ 1008.30	BARREL, CORE("NQ" 50 MM WIRELINE 3.05 M)	{2",10'}
	260	\$ 350.00	BARREL, CORE ("HWX"S.T. 1.52 M/NW ROD CONN)	{5'}
•	270	\$ 95.00	BARREL, MAIN (25.4 MM R.P.S.)	{1"}
	290	\$ 25.00	BEARING, "AWX" / "AWM" CORE BARREL (SET)	
	300	\$ 30.00	BEARING, "NWX"/"NWM" CORE BARREL (SET)	
	320	\$ 9.00	BENTONITE, (QUICK-GEL-VOLCLAY-PWD/GRAN) 23 KG. B.	AG {50LB}
	330	\$ 47.25	BINDER, (9.5 MM CHAIN)	{3/8"}
V	340	\$ 76.00	BIT, CASING SHOE "BW" (PYRAMID TYPE)	
	360	\$ 144.40	BIT, CASING SHOE "NX" (PYRAMID TYPE)	
	364	\$ 100.00	BIT, CASING SHOE "NW" (CRACKER JACK)	
-				

			DRILL TOOL CATALOG	
	NUMBE	COST OF	DESCRIPTION	
	365	\$ 145.00	BIT, CASING SHOE "NW" (PYRAMID TYPE)	
	370	\$ 210.00	BIT, CASING SHOE "HW" (PYRAMID TYPE)	
	375	\$ 225.00	BIT, CASING SHOE "HW" (CARBIDE SAWTOOTH)	
	380	\$ 80.00	BIT, CHOPPING ("AW" CONN-54 MM WIDTH)	{2-1/8"}
	384	\$ 90.00	BIT, CROSS CHOPPING ("AW"CONN-44.5 MM WIDTH)	{1-3/4"}
	385	\$ 80.00	BIT, CHOPPING ("AW"CONN, 54 MM WIDTH)	{2-1/8"}
	390	\$ 185.00	BIT, CHOPPING ("NW" CONN-82.6 MM WIDTH)	{3-1/4"}
	400	\$ 60.00	BIT, DRAG 57 MM (QUARRY BIT)	{2-1/4"}
	410	\$ 79.00	BIT, DRAG 88.9 MM (QUARRY BIT)	{3-1/2"}
	420	\$ 115.00	BIT, "AX/AWG" CARBIDE INSERT (PYRAMID CORING)	
	430	\$ 145.00	BIT, "AXM" CARBIDE INSERT (PYRAMID CORING)	
1	440	\$ 121.00	BIT, "BX" CARBIDE INSERT (PYRAMID CORING)	
	450	\$ 95.00	BIT, "BXM" CARBIDE INSERT (PYRAMID CORING)	
	460	\$ 133.00	BIT, "NX" CARBIDE INSERT (PYRAMID CORING)	
	470	\$ 105.00	BIT, "NXM" CARBIDE INSERT(PYRAMID CORING)	
}	480	\$ 178.00	BIT, "HX" CARBIDE INSERT (PYRAMID CORING)	
	490	\$ 200.00	BIT,108 MM (THIN WALL)	{4-1/4"}
	500	\$ 265.00	BIT,159 MM (THIN WALL)	{6-1/4"}
	505	\$ 165.00	BIT, ROLLER 75 MM	{2-15/16"}
	510	\$ 190.00	BIT, ROLLER 83 MM ("NW" CONN)	{3-1/4"}
	520	\$ 175.00	BIT, ROLLER 90 MM (60.3 MM API CONN)	{3-1/2",2-3/8"}
V	530	\$ 162.40	BIT, ROLLER 95 MM (60.3 MM API CONN)	{3-3/4",2-3/8"}
	540	\$ 205.00	BIT, ROLLER 114 MM (60.3 MM API CONN)	{4-1/2",2-3/8"}
	550	\$ 231.00	BIT, ROLLER 143 MM (88.9 MM API CONN)	{5-5/8",3-1/2"}
-61				



	CATAI	COST OF	DESCRIPTION	
	560	\$ 55.00	BIT, SAWTOOTH ("AX")	
Ý	570	\$ 64.00	BIT, SAWTOOTH ("NX")	
	575	\$ 4.80	BLADES, (CUTTER FOR CME)	
	580	\$ 10.00	BLADES, (CUTTER FOR MOBILE-EA.)	
ŗ	590	\$.65	BLADES, HACKSAW 305 MM (18,24,32 TEETH PER-25 MM)	{12"}
	600	\$ 65.00	BLADES(HAWTHORNE MP200)	
	610	\$ 5.00	BLADES(HAWTHORNE-MP400)	
	620	\$ 35.00	BLOCK, ROPE (SNATCH 150 MM)	{6"}
	622	\$ 136.98	BLOCK, ROPE (SNATCH 200 MM)	{8"}
F	625	\$ 89.00	BLOCK, (SET 3X2 HOISTING)	
	628	\$ 2.70	BOLTS (FOR CME AUGERS)	
	630	\$ 2.00	BOLTS, (FOR MOBILE CUTTER BLADES-EA.)	
	640	\$ 15.00	BOLTS, EYE (ACKER HAMMER 136.2 KG)	{300 LB}
	650	\$ 15.00	BOLTS, EYE(S&H HAMMER 136.2 KG)	{300 LB}
	660	\$ 18.57	***BOOTS,(HIP) SIZE 6	
	661	\$ 18.57	***BOOTS,(HIP) SIZE 7	
	662	\$ 18.57	***BOOTS,(HIP) SIZE 8	
	663	\$ 18.57	***BOOTS,(HIP) SIZE 9	
	664	\$ 18.57	***BOOTS,(HIP) SIZE 10	
	665	\$ 18.57	***BOOTS,(HIP) SIZE 11	
ı	666	\$ 18.57	***BOOTS,(HIP) SIZE 12	
	667	\$ 18.57	***BOOTS,(HIP) SIZE 13	
	668	\$ 18.57	***BOOTS,(HIP) SIZE 14	
	670	\$ 9.04	***BOOTS, (KNEE HIGH) SIZE 6	



CATAI	 COST OF	DESCRIPTION	
671	\$ 9.25	***BOOTS,(KNEE HIGH) SIZE 7	
672	\$ 9.25	***BOOTS,(KNEE HIGH) SIZE 8	
673	\$ 9.25	***BOOTS,(KNEE HIGH) SIZE 9	
674	\$ 9.25	***BOOTS,(KNEE HIGH) SIZE 10	
675	\$ 9.25	***BOOTS,(KNEE HIGH) SIZE 11	
676	\$ 9.25	***BOOTS,(KNEE HIGH) SIZE 12	
677	\$ 9.25	***BOOTS,(KNEE HIGH) SIZE 13	
678	\$ 9.25	***BOOTS,(KNEE HIGH) SIZE 14	
680	\$ 98.00	BOULDERBUSTER, (57 MM)	{2-1/4"}
690	\$ 156.25	BOULDERBUSTER, (88.9 MM)	{3-1/2"}
710	\$ 30.00	BOWL, LOCKING MP-400(NW)	
720	\$ 38.19	BOX, (TOOL 0.61 M)	{24"}
730	\$ 2.04	BRUSHES, (WIRE)	٠.
750	\$ 30.00	CABLES, JUMPER	
760	\$ 15.38	CANS, (GAS-20 L JUST RITE SAFETY)	{5 GALLON}
765	\$ 3.19	CANS, OIL (PUSHBOTTOM OILERS 0.5 L)	{1 PT}
775	\$ 134.25	CAPS, DRIVE(CME) 57 MM AUGER	{2-1/4"}
780	\$ 1.00	CAPS, (150 MM) BRASS	{3"}
790	\$.30	CAPS, (88.9 MM LINER)	{3-1/2"}
795	\$ 3.00	CAPS(SI 84.4 MM)	{3.34"}
800	\$.30	CAP, (PVC 76.2 MM PRESS TYPE)	{3"}
801	\$ 1.00	CAP, PVC(25.4 MM PIPE THREAD)	{1"}
810	\$ 1.00	CAPS, (88.9 MM SHELBY TUBE)	{3-1/2"}
820	\$ 5.00	CARTRIDGE, (WATER PUMP GREASE)	




CATAI	COST OF	DESCRIPTION	
830	\$ 31.00	CASE, LIFTER ("AWM")	
840	\$ 31.00	CASE,LIFTER("BWM")	
850	\$ 20.00	CASE, LIFTER ("NWM")	
855	\$ 53.00	CASE LIFTER(NXD-4)	
860	\$ 25.00	CASING, (25.4 MM R.P.S. 0.91 M EACH)	{1", 3'}
865	\$ 42.30	CASING, "AW" (1.52 M LENGTH)	{5'}
870	\$ 34.00	CASING, "BW" (0.3 M LENGTH)	{1'}
880	\$ 45.00	CASING, "BW" (0.61 M LENGTH)	{2'}
890	\$ 64.00	CASING, "BW" (1.52 M LENGTH)	{5'}
912	\$ 46.00	CASING, "NW" (0.3 M LENGTH)	{1'}
915	\$ 44.00	CASING, "NW" (0.61 M LENGTH)	{2'}
917	\$ 68.00	CASING, "NW" (1.52 M LENGTH)	{5'}
920	\$ 45.60	CASING,"NX"(0.61 M LENGTH)	{2'}
930	\$ 76.10	CASING,"NX"(1.52 M LENGTH)	{5'}
940	\$ 51.00	CASING,"HW"(0.3 M LENGTH)	{1'}
950	\$ 60.00	CASING,"HW"(0.61 M LENGTH)	{2'}
960	\$ 98.00	CASING,"HW"(1.52 M LENGTH-EA.)	{5'}
962	\$ 75.00	** CASING,"PW"(0.61 M LENGTH)	{2'}
963	\$ 123.50	** CASING,"PW"(1.52 M LENGTH)	{5'}
970	\$ 10.00	CHAIN, (0.6 M CHAIN WRENCH)	{24"}
980	\$ 28.44	CHAIN, LOGGING (9.5 MM- 5 M LONG W/HOOKS)	{3/8", 16'}
985	\$ 4.20	CHAIN, 6.4 MM (2 M LENGTH)	{1/4", 6'}
990	\$ 100.00	CHAIN, TIE DOWN (DOZER ONLY)	
1001	\$ 1.63	CHISĖL, (6MM)	{1/4"}



Noven	ber	17, 1994	SUBSURFACE EXPLORATION SECTION DRILL TOOL CATALOG	Page 7
CATAL		COST OF	DESCRIPTION	
1002	\$	2.36	CHISEL, (9MM)	{5/16"}
1003	\$	5.00	CHISEL, (13 MM)	{1/2"}
1004	\$	5.56	CHISEL, (16 MM)	{5/8"}
1005	\$	9.04	CHISEL, (19 MM)	{3/4"}
1006	\$	7.00	CHISEL, (13 MM EXTRA LONG)	{1/2"}
1007	\$	5.00	CHISEL, (19 MM EXTRA LONG)	{3/4"}
1008	\$	3.50	CHISEL, (22 MM)	{7/8"}
1009	\$	5.00	CHISEL, (25.4 MM)	{1"}
1010	\$	3.00	CLAMPS, (25.4 MM DISCHARGE HOSE BOLTED)	{1"}
1012	\$	3.00	CLAMPS, 19 MM(DISCHARGE HOSE)	{3/4"}
1020	\$.49	CLAMPS, (25.4 MM PLASTIC HOSE)	{1"}
1030	\$	2.50	CLEANER, HAND (0.45 KG CANS-CREAM)	{1 LB}
1050	\$	21.50	CONE,LOCKING(STA.PIST.SAMP.)	`.
1060	\$	3.00	CONNECTION, (19 MM THREADED MALE SNAP ON)	{3/4"}
1070	\$	3.00	CONNECTION, (19 MM THREADED FEMALE SNAP ON)	{3/4"}
1080	\$	3.00	CONNECTION, (25.4 MM THREADED MALE SNAP ON)	{1"}
1090	\$	3.00	CONNECTION, (25.4 MM THREADED FEMALE SNAP ON)	{1"}
1100	\$	15.00	CONNECTION, (38.1 MM SUCTION MALE & FEMALE)	{1-1/2"}
1110	\$	3.00	CONNECTION, (SNAP ON 19 MM HOSE)	{3/4"}
1120	\$	2.65	CONNECTION, (SNAP ON 25.4 MM HOSE)	{1"}
1123	\$	3.82	CONNECTION, QUICK (32 MM FEMALE THREAD) "ADPTER A"	{1-1/4"}
1124	\$	8.36	CONNECTION, QUICK (32 MM FEMALE THREAD) "COUPLER D"	{1-1/4"}
1127	\$	8.38	CONNECTION, QUICK (38.1 MM STAB) "COUPLER C"	{1-1/2"}
1128	\$	8.38	CONNECTION, QUICK (38.1 MM FEMALE THREAD) "COUPLERD"	{1-1/2"}




	CATAL	COST OF	DESCRIPTION	
	1129	\$ 4.88	CONNECTION, QUICK (38.1 MM MALE THREAD) "ADAPTER F"	{1-1/2"}
4.	1131	\$ 3.60	CONNECTION, QUICK (38.1 MM FEMALE THREAD) "ADAPTER A"	{1-1/2"}
	1133	\$ 5.72	CONNECTION, QUICK (50.8 MM MALE THREAD) "ADAPTER F"	{ 2"}
	1134	\$ 4.38	CONNECTION, QUICK (50.8 MM FEMALE THREAD) "ADAPTER A"	{2"}
,	1135	\$ 9.04	CONNECTION, QUICK (50.8 MM FEMALE THREAD) "COUPLER D"	{2"}
	1140	\$ 45.00	CONNECTION,"NW"-MP400	
	1150	\$ 40.00	CONNECTOR, SPECIAL (SAMPLER ADAPTER)	
-	1160	\$ 14.00	COUPLINGS, ("AW" ROD)	
	1165	\$ 24.30	COUPLING, ("BW" ROD)	
	1170	\$ 23.20	COUPLINGS, ("NW" ROD)	
	1180	\$ 1.00	* COUPLINGS, (25.4 MM PVC)	{1"}
	1185	\$ 3.00	* COUPLINGS, (76.2 MM PVC-DWV)	{3"}
	1190	\$ 2.50	* COUPLINGS, (76.2 PVC)	{3"}:
V	1195	\$ 5.00	COUPLINGS, (SI 84.8 MM)	{3.34"}
	1200	\$.55	COUPLINGS, (12.7 MM PIPE)	{1/2"}
	1210	\$.99	COUPLING, (19.1 MM PIPE)	{3/4"}
	1220	\$.79	COUPLING, (25.4 MM PIPE)	{1"}
	1230	\$ 21.00	COUPLING, (63.5 MM PIPE)	{2-1/2"}
	1240	\$ 36.00	COUPLINGS, (101.6 MM PIPE)	{4"}
	1250	\$ 15.00	COUPLINGS, (152 MM PIPE)	{6"}
	1260	\$ 25.00	COUPLINGS, ("BX CASING)	
	1270	\$ 21.00	* COUPLINGS, ("NX"CASING)	
-	1280	\$ 1.99	COUPLING, REDUCED (31.8 MM X 38.1 MM) {1-1/4	"-1-1/2"}
	1285	\$ 6.75	CUPS, 88.9 MM LEATHER PISTON SAMPLE	{3-1/2"}
3				



CATAL	COST OF	DESCRIPTION	
1290	\$ 14.57	* DIGGER, (POST HOLE -LONG HANDLES)	
1300	\$ 15.00	DISCONNECT, (QUICK HYD. PARKER-HANNIFIN)	
1310	\$ 4.00	FILE, 200 MM (3 CORNERED)	{8"}
1312	\$ 6.00	FILE, 200 MM (3 CORNERED-SMOOTH)	{8"}
1318	\$ 3.98	FILE, 200 MM (SQUARE-SMOOTH)	{8"}
1320	\$ 10.00	FILE,300 MM (FLAT BASTARD)	{12"}
1344	\$ 10.00	FILE, (HALF ROUND 300 MM BASTARD)	{12"}
1350	\$ 8.00	FILE,300 MM (ROUND BASTARD)	{12"}
1370	\$ 1.41	FLAGGING, (RED ROLLS)	
1380	\$ 1.41	* FLAGGING, (YELLOW ROLLS)	
1383	\$ 187.50	FLIGHTS, (57 MM HOL. 0.61 M LENGTHS)	{2-1/4", 2'}
1384	\$ 238.90	FLIGHTS, (57 MM X 159 MM HOL. 1.52 M LENGTHS)	{2-1/4", 6-1/4", 5
1389	\$ 200.00	FLIGHTS, (86 MM X 210 MM HOL. 0.61 M LENGTHS)	{3-3/8", 8-1/4", 2'}
1390	\$ 325.00	FLIGHTS, (86 MM HOL. 1.52 M LENGTHS-MOBILE)	{3-3/8", 5'}
1400	\$ 175.00	FLIGHTS, (100 MM SOL., 1.52 M LENGTHS-MOBILE)	{4", 5'}
1414	\$ 42.75	FORK, AUGER 57 MM HSA	{2-1/4"}
1415	\$ 6.00	FUNNEL, (JUST-RITE, POUR)-GREY ON YELLOW	
1419	\$ 14.79	FUNNEL, (9.5 L CAPACITY)	{10 QT}
1430	\$ 38.50	GUAGE, (MINERAL FILLED)	
1440	\$.75	GASKETS, (SUCTION HOSE 40 MM LEATHER)	{1-1/2"}
1450	\$ 1.00	GASKETS, (SUCTION HOSE 40 MM NEOPRENE)	{1-1/2"}
1453	\$ 1.00	GASKETS(SUCTION 50 MM NEOPREME)	{2"}
1454	\$ 464.00	GIMBEL, (40 MM HEX-40 MM HEX)	{1.58",1.58"}
1455	\$ 3.00	*** GLASSES, (SAFETY)	



	ATAL UMBE	COST OF	DESCRIPTION	-
1	460	\$ 1.99	* GLUE, (PVC5 L OR .25 L)	{PT OR 1/2PT.}
1	470	\$ 5.56	GREASE, (WATERPUMP-DARMEX)	
1	480	\$ 1.00	GROMMETS, (25 MM AIR HOSE FITTINGS)	{1"}
14	490	\$ 30.49	GUN, GREASE (LEVER HANDLE)	
1	500	\$ 10.00	HACKSAW, (FRAME)	
1	510	\$ 59.00	* HAMMER,(25 MM R.P.S.)	{1"}
1	520	\$ 11.25	HAMMER, (CLAW-STRAIGHT-CARPENTER)	
1	524	\$ 6.99	HAMMER, RUBBER	
1	530	\$ 7.49	HAMMER, (DRILLER-1.4 KG)	{3 LB}
15	532	\$ 29.20	HAMMER, POINTED (FOR C.M.E.)	
15	550	\$ 8.00	HAMMER, BALL PEIN(0.2 KG)	{16 OZ}
15	570	\$ 8.04	HAMMER, SLEDGE (3.6 KG)	{8 LB}
15	575	\$ 275.00	HAMMER, (64 KG)	{140 LB}
15	580	\$ 500.00	HAMMER, (136.2 KG)	{300 LB}
15	590	\$ 5.00	HANDLE, AXE SINGLE BIT	
16	300	\$ 5.00	HANDLE, PICK	
1 16	310	\$ 5.00	HANDLE, SLEDGE HAMMER	
16	320	\$ 2.00	HASP,(100 MM)	{4"}
16	329	\$ 198.00	HEAD, ADAPTER (C.M.E. FLIGHTS)	
16	330	\$ 250.00	HEAD, ADAPTOR (MOBILE FLIGHTS)	
16	340	\$ 112.60	HEAD, DRIVE(63.5 MM X 63.5 MM AW" ROD)	{2-1/2", 2-1/2"}
16	344	\$ 45.00	HEAD, SAMPLER, (51 MM SPLIT BARREL)	{2"}
16	350	\$ 210.00	HEAD, DRIVE(100 MM PIPE)	{4"}
16	355	\$ 105.00	HEAD, DRIVE(100 MM PIPE W/NW ROD BOX)	{4"}



CATAI NUMBE	COST OF	DESCRIPTION	
1660	\$ 105.25	HEAD, DRIVE("BW")	
1670	\$ 139.50	HEAD, DRIVE("HW")	
1675	\$ 118.50	HEAD, DRIVE("NW")	
1677	\$ 210.00	** HEAD, DRIVE(PW CASING)	
1680	\$ 110.00	HEAD, SHELBY (88.9 MM)	{3-1/2"}
1690	\$ 421.00	HEAD CUTTER, MOBILE FLIGHT(158.8 MM X 57.1 MM)	{3-3/8", 8-1/4"}
1691	\$ 198.00	HEAD, CUTTER (BULLDOG TYPE (209.6 MM X 85.7 MM)	{8-1/4", 3-3}
1700	\$ 89.90	HEATER, (SPACE-SALAMANDER)	
1710	\$ 15.00	*** HELMET, (SAFETY-FIBER GLASS)	
1715	\$ 9.07	*** HELMET, (SAFETY-PLASTIC)	
1720	\$.40	HITCHPIN, HAIRPIN (3 MM X 65 MM)	{1/8" X 2-9/16"}
1730	\$.82	HITCHPIN, HAIRPIN (5 MM X 83 MM)	{3/16" X 3-1/4"}
1734	\$ 5.67	HOLDER, CRAYON	٠.
1735	\$ 35.00	HOOK, HOISTING (CME AUGER)	
1740	\$ 62.65	HOOK, ROD("AW")	
1750	\$ 93.75	HOOK, ROD("NW")	
1755	\$ 22.00	HOOK, SAFETY	
1760	\$.58	HOSE, (25.4 MM BRAIDED AIR -L.M.)	{1"}
1765	\$ 75.50	HOSE (32 MM AIR C.M.E.) 3 M LENGTH	{1-1/4", 10'}
1770	\$ 65.00	HOSE, (38 MM SUCTION 6 M LENGTHS) PLASTIC	{1-1/2", 20'}
1772	\$ 59.00	HOSE, (38 MM SUCTION 6 M LENGTHS)-RUBBER	{1-1/2", 20'}
1775	\$ 45.00	HOSE, 50 MM SUCTION (MOYNO PUMP)	{2"}
1780	\$ 20.00	HOSE, (2.4 M FOR PROPANE TANKS)	{8'}
1785	\$ 2.25	INSERT, THREADED (CME-AUGER)	



November 17, 1994 SUBSURFACE EXPLORATION SECTION Page 12 DRILL TOOL CATALOG COST OF CATALOG **DESCRIPTION** NUMBER 1 ITEM JACK, (25.4 MM R.P.S.) {1"} 1790 \$ 89.00 {4 TON} 1800 \$ 16.90 JACK, (3630 KG-FOR RIGS) 8.25 JAWS, (HEEL 350 MM W/PINS) {14"} 1810 \$ 1820 \$ 18.16 JAWS, (HOOK 350 MM) {14"} {18"} 1830 \$ 8.25 JAWS, (HEEL 450 MM W/PINS) {18"} 1840 \$ 18.16 JAWS, (HOOK 450 MM) {24"} 8.25 JAWS, (HEEL 600 MM W/PINS) 1850 \$ {24"} 18.16 JAWS, (HOOK 600 MM) 1860 \$ {36"} JAWS, (HEEL 915 MM W/PINS) 15.00 1870 {36"} JAWS, (HOOK 915 MM) 1880 \$ 8.35 {1/8", 4"} JAWS, FOR RIGID PIPE VISE (3 MM - 100 MM) \$ 10.00 1881 {3"} 63.00 JAWS, 76 MM (PIPE RETRIEVER) 1883 \$ {2-1/2"}. JAWS, 63.5 MM PIPE RETRIEVER 1884 \$ 25.00

1910 3.19 LATCH KIT, (SAFETY HOOK) \$ {24"} LEVEL, (CARPENTER'S 600 MM) 1920 \$ 3.20 LIFTER, CORE("AX")

JAWS, 100 MM PIPE RETRIEVER

JUGS, WATER (7.6 L)

KEIL, (BOX)

{4"}

{2 GAL}

1931 \$ 13.00 LIFTER, CORE AW34 1940 \$ 15.00 LIFTER, CORE("BX")

1885

1890

1900

1930

\$

\$

\$

\$

25.00

22.80


8.40

11.00

1950 \$ 160.00 LIFTER, CORE("HX")

1960 LIFTER, CORE("NX") \$ 18.00

1965 \$ LIFTER, CORE (AW-34) 13.00




November 17, 1994


SUBSURFACE EXPLORATION SECTION DRILL TOOL CATALOG

Page 13


CATALOG COST OF NUMBER 1 ITEM DESCRIPTION 9.50 LIFTER, CORE("AXM") 1970 \$ 1980 \$ 9.50 LIFTER, CORE("BXM") 1985 \$ 18.00 LIFTER, CORE (CHRISTENSEN) 1986 \$ 18.00 LIFTER, CORE NWD4 1990 \$ 20.80 LIFTER, CORE("NXM") 68.00 LIFTER, ROD "AW" (CLOSED) 2000 \$ LIFTER, ROD "AW" (OPEN) 2010 \$ 72.00 70.00 LIFTER, ROD "NW" (CLOSED) 2020 \$ 2030 \$ 70.00 LIFTER, ROD "NW" (OPEN) 3.00 *** LINERS, (SAFTY HELMET) 2040 \$ {3"} 15.00 LINERS, (SS-76 MM WITH CAPS) 2050 \$ 2060 \$ 3.00 LOCKS, (PADLOCK KEYED ALIKE) \$ 10.00 LOCKS, OAR (PR) 2065 45.00 LUBRICANT, (6.8 KG PAIL) {15 LB} 2070 \$ 15.49 *** MUFFS, HUSH 2075 \$ $\{1-1/4"\}$ 2080 \$ 1.00 NIPPLES, CLOSE (31.8 MM) 2082 \$ 16.50 NOSE, PIPE RETRIEVER {12"} 4.50 NUT, 300 MM PIPE WRENCH 2083 \$ {18"} 2084 \$ 3.00 NUT, 450 MM PIPE WRENCH {24"} 2085 \$ 31.50 NUT, 600 MM PIPE WRENCH $\{6-1/2'\}$ 2090 \$ 17.84 OARS, (2 M PAIR) 2095 \$ 10.00 PACKING-SIDEFEED SWIVE LIGHT DUTY 8.89 2105 \$ PICK {12"} 2110 \$ 10.00 PIN, (DRIFT 300 MM LONG)




CATALOG NUMBER		COST OF	DESCRIPTION	
2115	\$	2.70	PIN, DRIVE (CME AUGER)	
2120	\$	3.53	PIPE, (13 MM, 0.91 M LONG)	{1/2", 3'}
2130	\$	4.28	PIPE, (19 MM AUGER-L.M.)	{3/4"}
2140	\$	2.10	PIPE, (25.4 MM PVC 3.05 M LENGTHS-L.M.)	{1", 10'}
2145	\$.75	PIPE PVC 76.2 MM DWV L. M.	{3"}
2150	\$.78	PIPE, (PVC 76.2 M L.M.)	{3"}
2155	\$	50.00	PIPE, SLOPE INDICATOR 76.2 MM- 3.05 M LONG	{3", 10'}
2156	\$	15.00	PIPE, SLOPE INDICATOR 76.2 MM- 1.52 M LONG	{3", 5'}
2160	\$	66.75	PIPE, 63.5 MM (1.52 M LENGTHS)	{2-1/2", 5'}
2170	\$	111.00	PIPE,100 MM (1.52 M LENGTHS)	{4", 5'}
2180	\$	88.00	** PIPE,150 MM (0.61 M LENGTHS)	{6", 2'}
2190	\$	129.00	** PIPE,150 MM (1.52 M LENGTHS)	{6",5'}
2200	\$	6.63	PLIERS, (NEEDLE NOSE)	
2210	\$	8.00	PLIERS, (SIDE CUTTER)	
2222	\$	8.00	PLIERS, (SLIP JOINT 200 MM)	{8"}
2240	\$	6.25	PLIERS, (VISE GRIP 250 MM)	{10"}
2250	\$	10.00	PLIERS, (WATER PUMP 250 MM)	{10"}
2260	\$	1.00	* PLUGS, (25.4 MM PVC THREADED)	{1"}
2263	\$	3.00	PLUGS, (76.2 MM PVC DWV THREADED)	{3"}
2265	\$	2.50	PLUGS 100 MM BRASS PIPE	{4"}
2270	\$	112.00	PLUG HOIST, ("AW" CONN)	
2280	\$	20.00	* POINTS, (POIN JAR 25.4 MM DIA. X 1 M LONG)	{1",3'}
2290	\$	21.02	PROPANE GAS, (FILLUPS PER 9 KG TANK)	{20 LB}
2300	\$	4.50	PUNCH, CENTER	



CATAL	COST OF	DESCRIPTION	
2310	\$ 4.84	PUNCH, DRIFT PIN P-3	
2312	\$ 3.89	PUNCH, DRIFT PIN 9.5 MM X 4.8 MM	{3/8", 3/16"}
2315	\$ 4.65	PUNCH, DRIFT PIN 11.1 MM X 5.6 MM	{7/16" X 7/32"}
2320	\$ 3.75	PUNCH, DRIFT PIN P-5	
2340	\$ 25.00	RETAINER, FLAP(44.5 MM)	{1-3/4"}
2350	\$ 25.00	RETAINER, FLAP (50.8 MM)	{2"}
2351	\$.64	RETAINER, PLASTIC (50.8 MM)	{2"}
2353	\$ 7.00	RETAINER, PLASTIC CME CUTTER HEAD (57.0 MM)	{2-1/4"}
2360	\$ 31.00	RETAINER, FLAP (76.2 MM)	{3"}
2370	\$ 68.00	RETAINER, FLAP (88.9 MM)	{3-1/2"}
2371	\$ 6.30	RETAINER, PLASTIC (88.9 MM)	{3-1/2"}
2380	\$ 18.50	RETAINER, L.A.D. (50.8 MM)	{2"}
2390	\$ 150.00	RETREAVER, PIPE ("AW" CONN)	•
2395	\$ 425.00	** RETREAVER, 57 MM AUGER	{2-1/4"}
2400	\$ 1.00	RING, "O" (N&N SWIVEL)	
2401	\$ 1.00	RING, "O" (HYD. SAMPLER)	
2410	\$ 31.65	RING, DRIVE(63.5 MM JAR BAR)	{2-1/2"}
2415	\$ 25.00	RING, DRIVE(63.5 MM MODIFIED JAR BAR)	{2-1/2"}
2420	\$ 51.00	RING, ROD("AW")	
2430	\$ 75.75	RING, ROD("NW")	
2440	\$ 15.00	* ROD, ACTUATING(0.61 M LENGTH)	{2'}
2450	\$ 17.50	* ROD, ACTUATING(0.91 M LENGTH)	{3'}
2460	\$ 21.50	* ROD, ACTUATING(1.52 MM LENGTH)	{5'}
2470	\$ 40.00	* ROD, ACTUATING (3.05 M LENGTH)	{10'}



November		ber	17, 1994	17, 1994 SUBSURFACE EXPLORATION SECTION DRILL TOOL CATALOG	
CATALOG NUMBER			COST OF	DESCRIPTION	
	2480	\$	50.00	* ROD,"25.4 MM" R.P.S. (0.91 M EACH)	{1", 3'}
	2490	\$	33.00	ROD, "AW" (0.3 M LENGTH EACH)	{1'}
	2500	\$	37.00	ROD, "AW" (0.61 M LENGTH EACH)	{2'}
	2510	\$	51.00	ROD, "AW" (1.52 M LENGTH EACH)	{5'}
	2520	\$	72.00	ROD, "AW" (3.05 M LENGTH EACH)	{10'}
	2525	\$	118.00	ROD, "BW" (1.52 M LENGTH EACH)	{5'}
	2530	\$	76.00	ROD, "NW" (0.61 M LENGTH EACH)	{2'}
	2535	\$	99.65	ROD, "NW" (0.91 M LENGTH EACH)	{3'}
	2540	\$	107.00	ROD, "NW" (1.52 M LENGTH EACH)	{5'}
1	2550	\$	127.00	ROD, "NW" (3.05 M LENGTH EACH)	{10'}
	2560	\$	43.00	* ROD, PION JAR(25.4 MM DIA.X 0.91 M LONG)	{1" X 3'}
	2580	\$	45.00	* ROPE, MANILA (6 MM BALE)	{1/4"}
	2590	\$	56.95	* ROPE, MANILA (13 MM BALE)	{1/2"}
	2600	\$	117.15	* ROPE, MANILA (19 MM BALE)	{3/4"}
	2605	\$	210.00	ROPE,19 MM NYLON BALE (FOR RAFT ANCHORS-L.M.)	{3/4"}
	2610	\$	183.55	* ROPE, MANILA (25.4 MM BALE)	{1"}
	2630	\$	3.06	RULERS, (2 M WOOD)	{6'}
	2631	\$	8.55	RULERS, METRIC(2 M)	
	2660	\$	145.00	SAMPLER, (44.5 MM SOLID)	{1-3/4"}
	2670	\$	112.00	SAMPLER, (50.8 MM H.D. SPLIT-WITH PLUG)	{2"}
	2690	\$	112.00	SAMPLER, (50.8 MM LYNAC)	{2"}
	2700	\$	120.00	SAMPLER, (50.8 MM E-Z OPEN)	{2"}
	2710	\$	110.00	** SAMPLER, (50.8 MM X 1.1 M LONG SOLID BARREL)	{2"X 42"}
	2720	\$	150.00	SAMPLER, (76.2 MM SPLIT)	{3"}



November		17, 1994	SUBSURFACE EXPLORATION SECTION DRILL TOOL CATALOG	Page 17
CATALOG NUMBER		COST OF	DESCRIPTION	_
2730	\$	260.00	SAMPLER, (88.9 MM SPLIT FOR LINER)	{3-1/2"}
2740	\$	350.00	SAMPLER, (88.9 MM SOLID 0.91 M LONG)	{3-1/2", 36"}
2750	\$	165.00	* SAMPLER, (STATIONARY PISTON 76.2 MM)	{3"}
2760	\$	118.00	* SAMPLER, (STATIONARY PISTON 88.9 MM)	{3-1/2"}
2770	\$	7.83	SAW, (BOW 0.61 M)	{24"}
2780	\$	15.00	SAW, (CARPENTER)	
2790	\$	1.30	SCREW, (SHELBY HEAD)	
2802	\$	5.00	SCREWDRIVER, 100 MM BLADE	{4"}
2804	\$	5.00	SCREWDRIVER, 150 MM BLADE	{6"}
2805	\$	3.00	SCREWDRIVER, (CABINET TYPE)	
2806	\$	10.00	SCREWDRIVER, 200 MM BLADE	{8"}
2812	\$	3.00	SCREWDRIVER, PHILIPS 2PT. 25 MM SHORT	{1"}
2814	\$	1.36	SCREWDRIVER, PHILIPS 2PT. 100 MM SHORT	{4"}`·
2820	\$	20.00	* SHANK, (PION JAR IMPACT)	
2830	\$	25.13	SHEARS, (LOPPING)	
2840	\$	32.00	SHELL, REAMING ('AWX' BLANK ST)	
2850	\$	43.00	SHELL, REAMING ('BWX' BLANK ST)	
2860	\$	43.50	SHELL, REAMING ('NWX' BLANK ST)	
2870	\$	63.00	SHELL, REAMING ('HX' BLANK ST)	
2875	\$	90.00	SHELL, REAMING AW34	
2880	\$	40.50	SHELL, REAMING ('AWX' BLANK DT)	
2890	\$	49.00	SHELL, REAMING ('BWX' BLANK DT)	

SHELL, REAMING ("NXD-3 76.2 MM)

SHELL, REAMING ('NWX' BLANK DT)

43.50

40.00

2895

2900 \$

{3"}




CATALOG COST OF NUMBER 1 ITEM		DESCRIPTION	_
\$	43.00	SHELL, REAMING ('AWM' BLANK)	
\$	35.50	SHELL, REAMING ('BWM' BLANK)	
\$	29.00	SHELL, REAMING ('NWM' BLANK)	
\$	45.55	SHOE, DRIVE ("AW" CASING)	
\$	36.00	SHOE, DRIVE ("BW" CASING)	
\$	32.00	SHOE, DRIVE ("NW" CASING)	
\$	53.00	SHOE, DRIVE ("HW"CASING)	
\$	115.00	** SHOE, DRIVE("PW"CASING)	
\$	24.00	SHOE, SAMPLER (44.5 MM)	{1-3/4"}
\$	39.00	SHOE, SAMPLER (50.8 MM HD)	{2"}
\$	30.00	SHOE, SAMPLER (50.8 MM LYNAC)	{2"}
\$	18.00	SHOE, PIPE (63.5 MM)	{2-1/2"}
\$	33.00	SHOE, PIPE(101.6 MM)	{4"}
\$	30.00	SHOE, SAMPLER (76.2 MM)	{3"}
\$	30.00	SHOE, SAMPLER (88.9 MM)	{3-1/2"}
\$	10.00	SHOVEL, LONG HANDLE ROUND	POINT
\$	10.00	SHOVEL, LONG HANDLE SQUARE POINT	
\$	10.00	SHOVEL, SHORT HANDLE ROUND POINT	
\$	10.00	SHOVEL, SHORT HANDLE SQUARE POINT	
\$	70.00	SIGN STAND (ROLL-UP SIGNS)	
\$	30.38	SIGN (WORKER SYMBOL)	{ROLL-UP}
\$	2.60	SOCKET,3/8", 1/2" DRIVE	
\$	2.60	SOCKET,7/16", 1/2" DRIVE	
\$	2.60	SOCKET,1/2", 1/2" DRIVE	
	R	\$ 1 ITEM \$ 43.00 \$ 35.50 \$ 29.00 \$ 45.55 \$ 36.00 \$ 32.00 \$ 53.00 \$ 115.00 \$ 24.00 \$ 39.00 \$ 30.00 \$ 30.00 \$ 10.00 \$ 10.00 \$ 10.00 \$ 10.00 \$ 10.00 \$ 2.60	### BESCRIPTION \$ 43.00 SHELL, REAMING ('AWM' BLANK) \$ 35.50 SHELL, REAMING ('BWM' BLANK) \$ 29.00 SHELL, REAMING ('NWM' BLANK) \$ 45.55 SHOE, DRIVE ("AW"CASING) \$ 36.00 SHOE, DRIVE ("BW"CASING) \$ 32.00 SHOE, DRIVE ("HW"CASING) \$ 53.00 SHOE, DRIVE ("PW"CASING) \$ 115.00 ** SHOE, DRIVE ("PW"CASING) \$ 24.00 SHOE, SAMPLER (44.5 MM) \$ 39.00 SHOE, SAMPLER (50.8 MM HD) \$ 30.00 SHOE, SAMPLER (50.8 MM LYNAC) \$ 18.00 SHOE, PIPE (63.5 MM) \$ 33.00 SHOE, PIPE (101.6 MM) \$ 30.00 SHOE, SAMPLER (76.2 MM) \$ 30.00 SHOE, SAMPLER (88.9 MM) \$ 10.00 SHOVEL, LONG HANDLE ROUND \$ 10.00 SHOVEL, LONG HANDLE ROUND \$ 10.00 SHOVEL, SHORT HANDLE ROUND POINT \$ 10.00 SHOVEL, SHORT HANDLE SQUARE POINT \$ 70.00 SIGN STAND (ROLL-UP SIGNS) \$ 30.38 SIGN (WORKER SYMBOL) \$ 2.60 SOCKET, 7/16", 1/2" DRIVE




_	ALOG BER	COST OF	DESCRIPTION	
307	8 \$	2.60	SOCKET,9/16", 1/2" DRIVE	
307	9 \$	2.60	SOCKET,5/8", 1/2" DRIVE	
308	0 \$	2.95	SOCKET,3/4" SPARK PLUG 1/2" DRIVE	
309	0 \$	8.00	SOCKET,7/8" SPARK PLUG 1/2" DRIVE	
310	0 \$	8.00	SOCKET,13/16" SPARK PLUG 1/2" DRIVE	
310	2 \$	5.05	SOCKET 1" SPARK PLUG 1/2" DRIVE	
310	4 \$	5.85	SOCKET,1-1/16"SPARK PLUG 1/2" DRIVE	
310	6 \$	5.85	SOCKET,1-1/8" SPARK PLUG 1/2" DRIVE	
310	8 \$	5.31	SOCKET 1-1/8' 3/4'DRIVE	
311	o \$	2.10	SPOUTS, (20 L GAS CAN)	{5 GAL}
3114	1 \$	1.80	SPRINGS, 450 MM PIPE WRENCH (SETS)	{18"}
311	5 \$	1.90	SPRINGS, 600 MM PIPE WRENCH (SETS)	{24"}
311	7 \$.90	SPRING, BASKET-RET. PLASTIC	
312	\$	1.80	SPRINGS, (L.A.D. BASKET RETAINER)	
3130	\$	3.50	SPRINGS, LOCKING CONE	
316	\$.50	* STAKES(25 MM X 25 MM X 1.2 M)	{1" X 1" X 48"}
319	\$.20	STAKES, WIRE (600 M)	{2'}
320	5 \$	5.00	STRAP, SAFETY (GAS CAN)	
321) \$	46.75	SUB, ("AW" ROD BOX TO 63.5 MM PIPE PIN)	{2-1/2"}
321	5 \$	59.00	SUB, ("AW" ROD BOX TO "A" ROD PIN)	
322	O \$	51.00	SUB, ("AW" ROD BOX TO "BW" CASING PIN)	
322	5 \$	40.00	SUB, ("AW" ROD BOX TO "BX" CASING PIN)	
323	\$	42.50	SUB, ("AW" ROD BOX TO "BW" ROD PIN)	
323	2 \$	75.00	SUB, ("AW" ROD BOX TO "BW" ROD BOX)	




CATAL	 COST OF	DESCRIPTION	
3233	\$ 75.00	SUB, ("AW" ROD BOX TO "NW" ROD BOX)	
3250	\$ 38.25	SUB, ("AW" ROD BOX TO "NW" ROD PIN)	
3260	\$ 25.00	SUB, ("AW" ROD BOX TO "NX" CASING PIN)	
3265	\$ 70.00	SUB, ("AW" ROD BOX TO "NW" CASING PIN)	
3290	\$ 59.20	SUB, ("AW" ROD BOX TO 100MM X 178MM THREAD PIN)	{11/4" X 7"}
3302	\$ 75.00	SUB ("AW" ROD PIN TO "NW" ROD PIN)	
3310	\$ 80.75	SUB, ("BW" CASING BOX TO "AW" ROD PIN)	
3314	\$ 65.00	SUB, ("BW" CASING BOX TO "NW" CASING PIN)	
3315	\$ 75.00	SUB, ("BW" CASING BOX TO "NW" ROD PIN)	
3320	\$ 80.75	SUB, ("BW" CASING PIN TO 63.5 MM PIPE PIN)	{2-1/2"}
3325	\$ 54.00	SUB ("NW" CASING BOX TO "NX" CASING BOX)	
3327	\$ 56.59	SUB, ("NW" CASING BOX TO "NX" CASING PIN)	
3330	\$ 38.25	SUB, ("NW" ROD BOX TO "AW" ROD PIN)	٠.
3331	\$ 78.00	SUB ("NW" ROD BOX TO "BW" CASING PIN)	
3340	\$ 65.50	SUB, ("NW" ROD BOX TO "N" ROD PIN)	
3345	\$ 55.25	SUB ("NW" ROD BOX TO "NW" CASING PIN)	
3350	\$ 34.00	SUB, ("NW" ROD BOX TO "NX" CASING PIN)	
3360	\$ 42.50	SUB, ("NW" ROD BOX TO 63.5 MM PIPE PIN)	{2-1/2"}
3370	\$ 72.25	SUB, ("NW" ROD BOX TO "HW" CASING PIN)	
3380	\$ 80.75	SUB, ("NW" ROD BOX 60.3 MM A.P.I.)	{2-3/8"}
3390	\$ 106.25	SUB, ("NW" ROD BOX TO 88.9 MM A.P.I.)	{3-1/2"}
3400	\$ 63.00	SUB, (31.8 MM X 178 MM THREAD BOX TO "AW" ROD PIN)	{1-1/4", 7"}
3405	\$ 67.50	SUB, (41.3 MM HEX PIN TO NW" ROD PIN)	{1-5/8"}
3410	\$ 110.50	SUB, ("HW" CASING PIN TO 101.6 MM PIPE PIN)	{4"}



CATAL	COST OF	DESCRIPTION	
3415	\$ 39.95	SUB, (BELL REDUCED)63.5 MM PIPE PIN TO 101.6 MM PIPE PIN	
3417	\$ 150.00	"NW" ROD BOX TO "PW" CASING PIN	
3420	\$ 450.00	SWIVEL, WATER (KING TYPE)	
3430	\$ 175.00	SWIVEL, WATER (PLAIN TYPE)	
3435	\$ 309.50	SWIVEL, WATER-SIDE FEED	
3439	\$ 91.00	"T" 57.1 MM AUGER	{2-1/4"}
3443		'T', "CME" AUGERS	
3444	\$ 82.00	"T", "NW" CASING	
3445	\$ 105.00	"T", "HW" CASING	
3446	\$ 6.50	"T", 63.5 MM PIPE	{2-1/2"}
3450	\$ 9.65	"T",101.6 MM PIPE	{4"}
3452	\$ 11.75	"T" 152.4 MM PIPE	{6"}
3455	\$ 20.00	TANK, PROPANE (9 KG)	{20 LB}
3470	\$ 133.70	TAP, (FISHING "AW" COUP. I.D.)	
3480	\$ 132.95	TAP, (FISHING "AW" COUP. O.D.)	
3490	\$ 133.70	TAP, (FISHING "AW" ROD I.D.)	
3500	\$ 138.40	TAP, (FISHING "AW" ROD O.D.)	
3510	\$ 78.00	TAP, (FISHING "NW" COUP. I.D.)	
3520	\$ 90.00	TAP, (FISHING "NW" COUP. O.D.)	
3530	\$ 169.55	TAP, (FISHING "NW" DRILL ROD I.D.)	
3540	\$ 242.70	TAP, (FISHING "NW" DRILL ROD O.D.)	
3545	\$ 35.15	TAP, INSERT (CME AUGER)	
3550	\$ 1.05	TAPE, (FRICTION)	
3560	\$.79	TAPE, (PLASTIC)	



Nov	ember	17, 1994	SUBSURFACE EXPLORATION SECTION DRILL TOOL CATALOG	Page 22
CATALOG		COST OF	DESCRIPTION	
357	0 \$	45.50	TARP, (PLASTIC 2.4 M X 3 M)	{8'X 10'}
357	5 \$	105.00	TARP, TRUCK (4.3 M X 4.9 M)	{14' X 16'}
358	0 \$	146.25	TORCH, (PROPANE COMPLETE)	
358	2 \$	10.00	TORCH-TIP	
358	7 \$	185.00	** TUBE, INNER, (CHRISTENSEN)	
359	0 \$	86.00	TUBE, INNER ("AWX" 1.52 M)	{5'}
360	0 \$	95.00	TUBE, INNER ("BWX" 1.52 M)	{5'}
360	5 \$	279.75	** TUBE, INNER (CHRISTENSEN SPLIT)	
361	0 \$	115.00	TUBE, INNER ("NWX" 1.52 M)	{5'}
362	0 \$	84.00	TUBE, INNER ("AWM" 1.52 M)	{5'}
363	0 \$	101.00	TUBE, INNER ("BWM" 1.52 M)	{5'}
364	0 \$	90.00	TUBE, INNER ("NWM" 1.52 M)	{5'}
365	0 \$	80.00	TUBE, OUTER ("AWX" 1.52 M)	{5'} }~
366	0 \$	99.00	TUBE, OUTER ("BWX" 1.52 M)	{5'}
367	0 \$	88.00	TUBE, OUTER ("NWX" 1.52 M	{5'}
368	0 \$	83.00	TUBE, OUTER ("AWM" 1.52 M)	{5'}
369	0 \$	104.00	TUBE, OUTER ("BWM" 1.52 M)	{5'}
370	0 \$	108.50	TUBE, OUTER ("NWM" 1.52 M)	{5'}
370	5 \$	195.00	TUBE, OUTER "NW" (D-4 CRISTENSEN)	
371	0 \$	1.52	TUBE, LEXAN(FOR "Z" GUAGE L.M.)	
371	5 \$	1.75	TUBE, LEXAN 38.1 MM (CME) -L.M.	{1-1/2"}
372	1 \$	15.00	VALVE, CHECK(BRASS 25.4 MM)	{1"}
373	0 \$	13.00	VALVE, (BALL COCK 25.4 MM)	{1"}
373	5 \$	18.00	VALVE, (BALL COCK 38.1 MM)	{1-1/2"}



	Amar	00	COCM OF		
	UMBE		COST OF	DESCRIPTION	
3	740	\$	15.95	VALVE, DEMAND (PROPANE)	
3	755	\$	17.79	VALVE, FOOT, (38.1 MM-BRASS)	{1-1/2
3	760	\$	17.79	VALVE, FOOT, (38.1 MM-PLASTIC)	{1-1/2
3	763	\$	37.99	VALVE, FOOT (50.8 MM BRASS	{2
3	765	\$	70.00	VALVE, RELIEF(19.1 MM)	{3/4
3	766	\$	7.55	** VEST, SAFETY	
3	767	\$	25.00	** VEST, FLOATING	
3	770	\$	100.00	VISE, (PIPE 100 MM CAPACITY)	{4
3	780	\$	1.60	WAX, (MIXED KG)	
3	785	\$	21.95	** WIPERS, RUBBER("NW"ROD)	
3	790	\$	15.00	WRENCH, ALLEN (SET)	
3	800	\$	2.10	WRENCH, ALLEN(1/4")	
3	810	\$	22.00	WRENCH, (CHAIN 300 MM)	{12
3	820	\$	42.09	WRENCH, (CHAIN 450 MM)	{18
3	830	\$	40.00	WRENCH, (CHAIN 600 MM)	{24
3	840	\$	101.48	WRENCH, (CHAIN 1M)	{36
3	850	\$	6.25	WRENCH, (CRESCENT 150 MM)	{6
3	860	\$	9.00	WRENCH, (CRESCENT 200 MM)	{8
3	870	\$	12.70	WRENCH, (CRESCENT 300 MM)	{12
3	880	\$	14.73	WRENCH, CHUCK (S&H 19.1 MM)	{3/4
3	890	\$	8.69	WRENCH, 200 MM PIPE	{8
3	900	\$	12.80	WRENCH, 350 MM PIPE	{14
3	910	\$	19.75	WRENCH,450 MM PIPE	{18
3	920	\$	31.50	WRENCH,600 MM PIPE	{24
4					



CATAL	COST OF	DESCRIPTION	
3930	\$ 61.75	WRENCH,1 M PIPE	{36"}
3936	\$ 4.75	WRENCH, OPEN END BOX COMBO(1/4")	
3937	\$ 11.60	WRENCH, OPEN END BOX COMBO(5/16")	
3938	\$ 5.00	WRENCH, OPEN END BOX COMBO(3/8")	
3939	\$ 6.19	WRENCH, OPEN END BOX COMBO(7/16")	
3940	\$ 5.40	WRENCH, OPEN END BOX COMBO(1/2")	
3950	\$ 5.85	WRENCH, OPEN END BOX COMBO(9/16")	
3951	\$ 7.30	WRENCH, OPEN END BOX COMBO(5/8")	
3952	\$ 7.10	WRENCH, OPEN END BOX COMBO(11/16")	
3953	\$ 8.65	WRENCH, OPEN BOX COMBO(3/4")	
3954	\$ 9.98	WRENCH, OPEN END BOX COMBO(7/8")	
3960	\$ 12.59	WRENCH, OPEN END BOX COMBO(15/16")	
3961	\$ 13.10	WRENCH, OPEN END BOX(1")	
3962	\$ 16.20	WRENCH, OPEN END BOX(1 1/16")	
3963	\$ 18.70	WRENCH, OPEN END BOX (1-1/8")	
3964	\$ 26.65	WRENCH, OPEN END BOX(1-1/4")	
3980	\$ 14.35	WRENCH, RATCHET (1/2" DRIVE)	
3985	\$ 37.70	WRENCH, RATCHET (3/4"DRIVE)	
3990	\$ 60.57	WRENCH, SOCKET SET (1/2" DRIVE)	

	¢	

